CUI INC
a bel group

CE

Declaration of Conformity

Manufacturer:
CUI Inc.
15575 SW Sequoia Parkway, Suite 100
Portland, Oregon 97224

For the following equipment:

AC-DC Internal Power Supply
CUI Series: VSUU-120C
Models: See next page

This declaration of conformity is issued under the sole responsibility of the manufacturer.
The object of the declaration described above is in conformity with the relevant Union harmonization legislations and their amendments:

Low Voltage Directive 2014/35/EU
EMC Directive 2014/30/EU
RoHS Directive 2011/65/EU and (EU) 2015/863

References to the relevant harmonized standards used, including the date of the standard, or references to the other technical specifications, including the date of the specification, in relation to which conformity is declared:

Health & Safety	EN 62368-1:2014+A11:2017
EMC	EN 55032:2015+A11:2020; EN 55035:2017+A11:2020; EN IEC 61000-3-2:2019+A1:2021; EN 61000-3-3:2013+A1:2019+A2:2021
RoHS	EN IEC 63000:2018

Note: These component level power supplies are intended exclusively for inclusion within other equipment. Protection against electric shock and Electromagnetic Compatibility (EMC) must be checked when the equipment is built-in a completed product or forms a part of a complete system.

(manufacturer)	**Shenzhen, China** (place)	**03/11/2025** (date)

Link Lu
Product Compliance Specialist

(manufacturer)	**Portland, Oregon, USA** (place)	**03/11/2025** (date)

Editha Vergara
Global Director, Safety, Environmental

MODEL LIST

VSUU-120C-XX (where XX = 9, 12, 15, 24 denote single output voltage)
VSUU-120C-DYYY (where XX = 512, 524A denote dual output voltages)
VSUU-120C-TZZZ (where ZZ = 512A denote triple output voltages)

Model	Input voltage (Vac)	Frequency (Hz)	Input current (A)	Output voltage (Vdc)
VSUU-120C-9	100-240	47-63	1.7	9
VSUU-120C-12	100-240	47-63	1.7	12
VSUU-120C-15	100-240	47-63	1.7	15
VSUU-120C-24	100-240	47-63	1.7	24
VSUU-120C-D512	100-240	47-63	1.7	5
				12
VSUU-120C-D524A	100-240	47-63	1.7	5
				24
VSUU-120C-T512A	100-240	47-63	1.7	5
				±12
Note: Model name maybe followed by additional characters as described on below model naming configuration.				

Model Naming Configuration

VSUU	**-**	**120C**	**-**	**X**	**XXX**
	I		-	II	III

I – Base Number: VSUU-120C

II – Output:
blank = single output
D = dual outputs
T = triple outputs

III – Output Voltage:
Single output
9 = 9 V; 12 = 12 V; 15 = 15 V, 24 = 24 V
Dual outputs
512 = 5 V & 12 V; 524A = 5 V & 24 V
Triple outputs
512A = 5 V & ±12 V

REVISION HISTORY

rev.	description	date
1.0	initial release	12/01/24
1.01	Remove standard IEC 62368-1:2014, update EN 61000-3-3 to amendment 2	03/11/25

The revision history provided is for informational purposes only and is believed to be accurate.