



Product	Building-in Power Supply Family
Applicant	Bel Fuse Inc. 206 Van Vorst St. Jersey City, NJ 07302 USA
Manufacturer	Bel Fuse Inc. 206 Van Vorst St. Jersey City, NJ 07302 USA
Factory	Bel Power Solutions, s.r.o. Areal ZTS 924 01841 Dubnica nad Vahom Slovakia
Ratings	Input: 14-70Vdc
Trade mark	
Model / Type Ref.	BKxxxx-zw BSxxxx-zw
Principal characteristics	Output rating see the test report. In model name, the x can be 0 thru 9 designating output options z can be 0,5,6,7,9 designating ambient rating W can be any combination of numbers, letters or blank, designating additional functions or options (up to 4 characters)
A sample of the product was tested and found to be in conformity with	ITAV EN IEC 62368-1:2020;A11
Validity	This certificate documents conformity with the standards shown, and also applies as license for use of Nemkos name and certification mark. The certificate and license is valid as long as the applicable conditions are complied with, and provided that any changes to the product are notified to Nemko for acceptance prior to implementation. New standards or amendments to the standards may imply that the product design must be updated and/or that re-testing and re-certification is necessary.
Additional information	Compliance with requirements regarding building-in, protection against electric shock and Electromagnetic Compatibility (EMC) must be checked when the equipment is built-in a completed product or forms a part of a complete system.
Additional model(s)	(6) See page 2

Date of issue 27-07-2020



Juan Z. Saussey
Certification Department

Nemko AS

Philip Pedersens vei 11, 1366 Lysaker, Norway
TEL +47 22 96 03 30 EMAIL info@nemko.com
ENTERPRISE NUMBER NO974404532

Additional model(s)

Product
Pos. No
Model / Type Ref.
Trade mark (if different from page 1)
Rating
Principal characteristics

Building-in Power Supply Family
1
AKxxxx-zw ASxxxx-zw

Input: 8-35Vdc
Output rating see the test report. In model name, the x can be 0 thru 9 designating output options z can be 0,5,6,7,9 designating ambient rating W can be any combination of numbers, letters or blank, designating additional functions or options (up to 4 characters)

Product
Pos. No
Model / Type Ref.
Trade mark (if different from page 1)
Rating
Principal characteristics

Building-in Power Supply Family
2
CKxxxx-zw CSxxxx-zw

Input: 28-140Vdc
Output rating see the test report. In model name, the x can be 0 thru 9 designating output options z can be 0,5,6,7,9 designating ambient rating W can be any combination of numbers, letters or blank, designating additional functions or options (up to 4 characters)

Product
Pos. No
Model / Type Ref.
Trade mark (if different from page 1)
Rating
Principal characteristics

Building-in Power Supply Family
3
DKxxxx-zw DSxxxx-zw

Input: 44-220Vdc
Output rating see the test report. In model name, the x can be 0 thru 9 designating output options z can be 0,5,6,7,9 designating ambient rating W can be any combination of numbers, letters or blank, designating additional functions or options (up to 4 characters)

Product
Pos. No
Model / Type Ref.
Trade mark (if different from page 1)
Rating
Principal characteristics

Building-in Power Supply Family
4
EKxxxx-zw ESxxxx-zw

Input: 67-385Vdc
Output rating see the test report. In model name, the x can be 0 thru 9 designating output options z can be 0,5,6,7,9 designating ambient rating W can be any combination of numbers, letters or blank, designating additional functions or options (up to 4 characters)

Date of issue 27-07-2020



Juan Z. Saussey
Certification Department

Product
Pos. No
Model / Type Ref.
Trade mark (if different from page 1)
Rating
Principal characteristics

Building-in Power Supply Family
5
FKxxxx-zw FSxxxx-zw

Input: 20-100Vdc
Output rating see the test report. In model name, the x can be 0 thru 9 designating output options z can be 0,5,6,7,9 designating ambient rating W can be any combination of numbers, letters or blank, designating additional functions or options (up to 4 characters)

Product
Pos. No
Model / Type Ref.
Trade mark (if different from page 1)
Rating
Principal characteristics

Building-in Power Supply Family
6
LKxxxx-zw LSxxxx-zw

Input: 88-372Vdc or 100-240Vac
Output rating see the test report. In model name, the x can be 0 thru 9 designating output options z can be 0,5,6,7,9 designating ambient rating W can be any combination of numbers, letters or blank, designating additional functions or options (up to 4 characters)

Date of issue 27-07-2020



Juan Z. Saussey
Certification Department