



3 2 C COPYRIGHT TRP connector ALL RIGHTS RESERVED Additional Resources: 2250394_C STOCK DISPOSITION A: CONTINUE AS IS D: USE OLD FIRST B: REWORK E: PARTS TO CONFORM C: SCRAP F: OTHER REVISION HISTORY INVENTORY WORK SUPPLIER OPEN CUST Product Page PCB Footprint Technical Documentation CHANGES REASON (A,B,C, DATE REV APPROVAL IN PROCESS ORDERS ORDERS D, E, F) (A,B,C,F)(A, E, F)(A,E,F)3 | MAR 20 | 6 | INITIAL RELEASE TONY YUAN CHANGE SINGLE COLOR LED TO BI-COLOR LED 19APR2016 MARKET REQUEST TONY YUAN ADD EMI FINGERS ON SHIELD ADD DIMENSIONS FOR EMI FINGERS AND RJ45 CAVITY ADD SOLDERING PROCESS MARKET REQUEST 25APR2016 3 TONY YUAN CORRECT PIN I FROM VCC TO GND ADD DASH NUMBER -2 FOR DIFFERENT RESISTORS MARKET REQUEST 04MAY2016 4 TONY YUAN MARKET REQUEST TONY YUAN OWN 30MAR2016 TOWER YU / FRANK LIU THIS DRAWING IS A CONTROLLED DOCUMENT. TTD CONNECTOR AND COMPLIANT TO ASME Y14.5M 30MAR2016 BILL LIU

APVD

TONY YUAN

MODEL NAME DONGGUAN DIMENSIONS: 30MAR2016 CHINA mm 0 PLC 1 PLC 2 PLC 3 PLC 4 PLC ±0.25 ±0.25 ±0.25 ±0.25 IXI, MAGJACK, VERTICAL 4TG06, IOGIGABIT CIRCUIT, W/ LEDS MAGJACK SIZE CAGE CODE DRAWING NO ±-SINGLE NON-POE ANGLES APPLICATION SPEC PRODUCT SPEC **G**−2250394 108-104004 CUSTOMER DRAWING