





7VQT01ET 2.5GIGABIT 4PPOE CIRCUIT 


THE SHADED AREA OF CUSTOMER PC BOARD IS EQUIVALENT TO RJ CABLE SIDE PINS, IT IS RECOMMENDED THAT AREA TO BE CLEAR OF ANY COMPONENTS, VIA HOLES AND TRACES TO AVOID HI-POT FAILURE




2250331-2
(WITHOUT ANY LED)



2250331-3
2250331-7
(WITH BOTH LEDS)



2250331-4
(WITH LEFT LED ONLY)



2250331-6
(WITHOUT ANY LED)

THIS DRAWING IS A CONTROLLED DOCUMENT. AND COMPLIANT TO ASME Y14.5M		DWN 27AUG2015 TOWER YU / XENIA WANG CHK 27AUG2015 BILL LIU APVD 27AUG2015 TONY YUAN MODEL NAME		 trp CONNECTOR a bel group		DONGGUAN CHINA	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 1 PLC ±0.25 2 PLC ±0.25 3 PLC ±0.25 4 PLC ± ANGLES ± APPLICATION SPEC		DESC IXI 7VQT01ET 2.5GIGABIT 4PPoE TAB UP, W/ LEDS		SIZE A2	
PRODUCT SPEC		MAGJACK SINGLE 4PPOE		DRAWING NO C-2250331		RESTRICTED TO -	
-		CUSTOMER DRAWING		SCALE NTS		SHEET 2 OF 3	
						REV 3	

