



Certificate of Compliance

Certificate: 80038675

Master Contract: 170351

Project: 80038675

Date Issued: 2020-04-06

Issued To: Bel Fuse Inc.
206 Van Vorst St
Jersey City, New Jersey, 07302
United States

Attention: Editha S. Vergara

The products listed below are eligible to bear the CSA Mark shown with adjacent indicators 'C' and 'US' for Canada and US or with adjacent indicator 'US' for US only or without either indicator for Canada only.

Issued by: Tracy Zhang
Tracy Zhang



PRODUCTS

CLASS - C531167 - POWER SUPPLIES Component Type(CSA 62368-1)

CLASS - C531197 - POWER SUPPLIES - Component Type (UL 62368-1) - Certified to US Stds

Component type power shelves intended for use with Information Technology and Business Equipment, where the suitability of the combination is to be determined by CSA Group.

Models SPSPFE3-04, SPSPFE3-05, SPSPFE3-05C, SPSPFE3-06, SPSPFE3-06C, SPSPFE3-08, SPSPFE3-08C, SPSPFE3-09, SPSPFE3-09C, SPSPFE3-10, SPSPFE3-10C, SPSPFE3-11, SPSPFE3-11C, SPSPFE3-06S440G, model number may be followed by alpha numeric characters indicating non-safety critical options.

Electrical Rating:

Model: SPSPFE3-04

AC Input: 200-250/346-432Vac, 3W+N+PE, 17A x2, 50/60Hz.



Certificate: 80038675
Project: 80038675

Master Contract: 170351
Date Issued: 2020-04-06

DC output: V1:12.3Vdc/1171A, V2: 12.0Vdc/5A, Max output power: 14460W
AC output: 200-250Vac, 2A x3, 50/60Hz.

Models: SPSPFE3-05, SPSPFE3-05C, SPSPFE3-06, SPSPFE3-06C, SPSPFE3-08, SPSPFE3-08C

AC Input: 200-277/346-480Vac, 3W+N+PE, 23A x2, 50/60Hz.

DC output: V1:12.3Vdc/1171A, V2: 12.0Vdc/5A, Max output power: 14460W

AC output: 200-277Vac, 6A, 10A x2, 50/60Hz.

Model: SPSPFE3-06S440G

AC Input: 200-250/346-480Vac, 3W+N+PE, 23A x2, 50/60Hz.

DC output: V1:12.3Vdc/1171A, V2: 12.0Vdc/5A, Max output power: 14460W

AC output: 200-250Vac, 6A, 10A x2, 50/60Hz.

Models: SPSPFE3-09, SPSPFE3-09C, SPSPFE3-10, SPSPFE3-10C, SPSPFE3-11, SPSPFE3-11C

AC Input: 200-240Vac, 3W+PE, 30A x2, 50/60Hz.

DC output: V1:12.3Vdc/1171A, V2: 12.0Vdc/5A, Max output power: 14460W

AC output: 200-240Vac, 4A x3, 50/60Hz.

APPLICABLE REQUIREMENTS

CAN/CSA C22.2 No. 62368-1:19

- Audio/video, information and communication technology equipment – Part 1: Safety requirements

UL 62368-1 3rd Ed.

- Audio/video, information and communication technology equipment – Part 1: Safety requirements



Supplement to Certificate of Compliance

Certificate: 80038675

Master Contract: 170351

*The products listed, including the latest revision described below,
are eligible to be marked in accordance with the referenced Certificate.*

Product Certification History

| Project | Date | Description |
|----------------|-------------|--|
| 80038675 | 2020-04-06 | Power Shelf, Models SPSPFE3-04, SPSPFE3-05, SPSPFE3-05C, SPSPFE3-06, SPSPFE3-06C, SPSPFE3-08, SPSPFE3-08C, SPSPFE3-09, SPSPFE3-09C, SPSPFE3-10, SPSPFE3-10C, SPSPFE3-11, SPSPFE3-11C, SPSPFE3-06S440G. C/US. |